




RSV - 325



RAPID-SUPER II				200	325	500
bowl capacity			approx. l	200	325	500
motor power:	knife shaft	RN	approx. H.P.	50/60	70/90	135/180
		RS	approx. H.P.	70/90	110/130	160/230
		RS 3	approx. H.P.	20/75/100	25/95/135	55/160/230
	bowl		approx. H.P.	5.5/7.5/8.5	5.5/7.5/8.5	5.5/7.5/8.5
		hydraulic	approx. H.P.	3	3	3
		unloader	approx. H.P.	1.5	1.5	1.5
		mixing speed	approx. H.P.	3/4	3/4	3/4
vacuum pump			approx. H.P.	5	5	7.5
dimensions in inches			A	76.8	85.4	98.4
			B	55.5	59	68.1
			C	114.5	126.8	135.4
			D	118.5	127.2	137
			E	113	115.7	139.8
			F	89.4	89.4	89.4
height of machine body				53.5	55.5	57.1
height with noise or vacuum cover (open)				98.4	114.2	122
height of bowl				39.4	39.4	39.4
net weight			approx. lbs.	8.360	9.020	12.980
seaworthy package			approx. lbs.	9.900	11.220	15.180

switchboard dimensions approx. inches 70.9 x 66.9 x 15.7.

Subject to change without notice!

MEISSNER



MODELL- UND MASCHINENFABRIK · MEISSNER & CO. · WALLAU/LAHN

Meissner & Co. · Postfach 2120 · 3560 Biedenkopf

RMF Steel Products Company
4417 East 119th Street
Grandview
Missouri 64030

U S A

PACKING LIST
Lieferschein Nr. 20409

Ihre bestellende Abteilung		
Ihre Bestellung Nr. tx 132/em 11982		Bestelltag 31.1.83
Versandart Container		Verpackung
Zeichen der Sendung	frei unfrei	Station
Biedenkopf-Wallau, den 6.7.83		Unsere Auftrags-Nr. und Zeichen 832374

Menge	Gegenstand	Empfängervermerke
	Wir sandten ab Werk Wallau/Lahn für Ihre Rechnung und Gefahr	
(2) 1	<u>Cutter-Mixer RAPID-SUPER II Type RS-325</u> 2 knife shaft speeds, separate bowl drive with 3 speeds, push button operation, separate stainless steel switch board, digital display showing temperature and bowl revolutions, adjustable rubber feet, knife shaft brake, electric unloader, 1 OPTIMAT Cutting System with 8 Original FEURING-knives, machine base and cover of solid stainless steel + MIXING speed forward/return + complete hydraulic equipment without loader + noise protection cover + stainless steel bowl + 460 volts, 60 cycles + 16 FEURING-knives	

REPRESENTED BY:



4417 EAST 119th STREET • GRANDVIEW, MO 64030
(816) 765-4101 • TELEX 42228

I

MACHINE DATA

Cutter-Mixer RAPID-SUPER II

Type: RSM 325

No: 832374

<u>Motor Data</u>	<u>Main Motor</u>	<u>Hydraulic Motor</u>	<u>Unloader Motor</u>
Make:	Schorch	AEG	Bauknecht
Type:	AN 525 MGC012-7	GAM 305 x 4	QRF 11/4-72
No:	2258 6101	7 5300 433795	3292 641-02
kW:	80/95	1,1	1,1
Ampere	155/180	4/2,3	2,8/4,8
Voltage/Cycle:	380	265/460/60	380/220
RPM:	1475/2940	1760	1430

Inspection/Test run: Rudolf Schmidt

22 FT ^{Bowl}
100 410 ^{SEAL}
6.27/FT

II

Motor Data

Bowl Motor

Mixing Motor

Make:

Katt

Nord

Type:

132M-12/6/4

SK 33 - 100 L - 40 1

No:

192 1597

497 8032

kW:

1,5/2,0/4,0

4,0

Ampere

6,2/5,5/7,7

6,8

Voltage/Cycle:

460/60

460/60

RPM:

560/1150/1760

1700